

Author Index to Volume 12

- Amey, M.J. The Application of Liquid Derris (5% Rotenone) to a Spring-Fed Upland Pond to Eradicate Perch (*Perca fluviatilis* L.) 111
- Ben-Tuvia, A. Man-induced Change in the Freshwater Fish Fauna of Israel 139
- Broughton, N.M. and Fisher, K.A.M. A Comparison of Three Methods of Pike (*Esox lucius* L.) Removal from a Lowland Trout Fishery 101
- Cane, A. Tests of Some Batch-Marking Techniques for Rainbow Trout (*Salmo gairdneri* Richardson) 1
- Chandrasoma, J. and De Silva, S.S. Reproductive Biology of *Puntius sarana*, an Indigenous Species, and *Tilapia rendalli* (*melanopleura*), an Exotic, in an Ancient Man-Made Lake in Sri Lanka 17
- Coates, D., see Redding-Coates, T.A.
- Coles, T.F. An Analysis of the Put-and-Take Trout Fishery at Toft Newton Reservoir 129
- Coles, T.F., see Cousins, D.C.
- Cousins, D.C., Coles, T.F. and Crust, A.P. A Computer Program for the Analysis of Catch Returns from a Put-and-Take Trout Fishery 119
- Crust, A.P., see Cousins, D.C.
- De Silva, S.S., see Chandrasoma, J.
- Fickling, N.J. and Lee, R.L.G. Further Aids to the Reconstruction of Digested Prey Lengths 107
- Fisher, K.A.M. see Broughton, N.M.
- Grimm, M.P. Composition of Northern Pike (*Esox lucius* L.) Populations in Four Shallow Waters in the Netherlands, with Special Reference to Factors Influencing 0+ Pike Biomass 61
- Grimm, M.P. Intraspecific Predation as a Principal Factor Controlling the Biomass of Northern Pike (*Esox lucius* L.) 77
- Jarrams, P. A Floating Fish Transporter for General Use 29
- Kennedy, G.J.A. and Strange, C.D. Comparative Survival from Salmon (*Salmo salar* L.) Stocking with Eyed and Green Ova in an Upland Stream 43
- Kennedy, G.J.A. and Strange, C.D. Efficiency of Electric Fishing for Salmonids in Relation to River Width 55
- Kennedy, G.J.A. see Strange, C.D.
- Lee, R.L.G., see Fickling, N.J.
- Mills, C.A. The Spawning of Roach *Rutilus rutilus* (L.) in a Chalk Stream 49

<i>Murphy, T.</i> Studies on Precocious Maturity in Artificially-Reared 1+ Atlantic Salmon Parr <i>Salmo salar</i> L.	113
<i>Ottaway, E.M.</i> How to Obtain Artificial Brown Trout (<i>Salmo trutta</i> L.) Eggs	37
<i>Redding-Coates, T.A. and Coates, D.</i> On the Introduction of Phytophagous Fishes into Gravity-Flow Irrigation Systems in the Sudan	89
<i>Shirvell, C.S.</i> Computer Analysis of Fish Populations in Fluctuating Streams	33
<i>Strange, C.D. and Kennedy, G.J.A.</i> Stomach Flushing of Salmonids: A Simple and Effective Technique for the Removal of the Stomach Contents	9
<i>Strange, C.D.</i> , see Kennedy, G.J.A.	
<i>Swales, S.</i> A Lightweight, Portable Fish-Trap for Use in Small Lowland Rivers	83

the 1990s, the number of people in the world who are undernourished has increased from 600 million to 800 million (FAO 1996). The number of people who are malnourished has increased from 1.1 billion to 1.5 billion (FAO 1996).

There are a number of reasons why the number of people who are undernourished has increased. One of the main reasons is that the world population has increased from 5 billion in 1987 to 6 billion in 1996 (FAO 1996).

Another reason is that the world population is growing faster than the world's food supply. The world population is growing at a rate of 1.2% per year, while the world's food supply is growing at a rate of 0.8% per year (FAO 1996).

A third reason is that the world's food supply is becoming more expensive. The price of food has increased by 50% in the last 10 years (FAO 1996).

There are a number of ways in which the world's food supply can be increased. One way is to increase the amount of land that is used for agriculture. Another way is to increase the amount of food that is produced on the same amount of land.

There are a number of ways in which the world's food supply can be made more affordable. One way is to reduce the cost of food. Another way is to increase the amount of food that is available to people who are poor.

There are a number of ways in which the world's food supply can be made more sustainable. One way is to reduce the amount of food that is wasted. Another way is to use food more efficiently.

There are a number of ways in which the world's food supply can be made more secure. One way is to reduce the risk of food shortages. Another way is to ensure that food is available to people who need it.

There are a number of ways in which the world's food supply can be made more equitable. One way is to ensure that food is distributed fairly. Another way is to ensure that food is available to people who need it.

There are a number of ways in which the world's food supply can be made more resilient. One way is to ensure that food is available to people who need it. Another way is to ensure that food is available to people who need it.

There are a number of ways in which the world's food supply can be made more sustainable. One way is to ensure that food is available to people who need it. Another way is to ensure that food is available to people who need it.

There are a number of ways in which the world's food supply can be made more secure. One way is to ensure that food is available to people who need it. Another way is to ensure that food is available to people who need it.

There are a number of ways in which the world's food supply can be made more equitable. One way is to ensure that food is distributed fairly. Another way is to ensure that food is available to people who need it.

There are a number of ways in which the world's food supply can be made more resilient. One way is to ensure that food is available to people who need it. Another way is to ensure that food is available to people who need it.

There are a number of ways in which the world's food supply can be made more sustainable. One way is to ensure that food is available to people who need it. Another way is to ensure that food is available to people who need it.

There are a number of ways in which the world's food supply can be made more secure. One way is to ensure that food is available to people who need it. Another way is to ensure that food is available to people who need it.

There are a number of ways in which the world's food supply can be made more equitable. One way is to ensure that food is distributed fairly. Another way is to ensure that food is available to people who need it.

There are a number of ways in which the world's food supply can be made more resilient. One way is to ensure that food is available to people who need it. Another way is to ensure that food is available to people who need it.

FISHERIES MANAGEMENT

Editor: Derek Mills

Volume 12, 1981

Published for the Institute of Fisheries Management
by Blackwell Scientific Publications

Oxford London Edinburgh Boston Melbourne

ISSN 0141 - 9862

Volume Contents

Number 1 January 1981

Tests of Some Batch-Marking Techniques for Rainbow Trout (<i>Salmo gairdneri</i> Richardson) <i>Alan Cane</i>	1
Stomach Flushing of Salmonids: A Simple and Effective Technique for the Removal of the Stomach Contents <i>C. D. Strange and G. J. A. Kennedy</i>	9
Reproductive Biology of <i>Puntius sarana</i> , an Indigenous Species, and <i>Tilapia rendalli</i> (<i>melanopleura</i>), an Exotic, in an Ancient Man-Made Lake in Sri Lanka <i>J. Chandrasoma and S. S. De Silva</i>	17
A Floating Fish Transporter for General Use <i>P. Jarrams</i>	29
Computer Analysis of Fish Populations in Fluctuating Streams <i>C. S. Shirvell</i>	33
<i>Short Communication</i>	
How to Obtain Artificial Brown Trout (<i>Salmo trutta</i> L.) Eggs <i>E. M. Ottaway</i>	37
<i>Book Reviews</i>	39

Number 2 April 1981

Comparative Survival from Salmon (<i>Salmo salar</i> L.) Stocking with Eyed and Green Ova in an Upland Stream <i>G. J. A. Kennedy and C. D. Strange</i>	43
The Spawning of Roach <i>Rutilus rutilus</i> (L.) in a Chalk Stream <i>C. A. Mills</i>	49
Efficiency of Electric Fishing for Salmonids in Relation to River Width <i>G. J. A. Kennedy and C. D. Strange</i>	55
Composition of Northern Pike (<i>Esox lucius</i> L.) Populations in Four Shallow Waters in the Netherlands, with Special Reference to Factors Influencing 0+ Pike Biomass <i>M. P. Grimm</i>	61
Intraspecific Predation as a Principal Factor Controlling the Biomass of Northern Pike (<i>Esox lucius</i> L.) <i>M. P. Grimm</i>	77
<i>Book Reviews</i>	81

Number 3 July 1981

- A Lightweight, Portable Fish-trap for Use in Small Lowland Rivers:
S. Swales 83

- On the Introduction of Phytophagous Fishes into Gravity-Flow
Irrigation Systems in the Sudan:
Theresa Redding-Coates & D. Coates 89

- A Comparison of 3 Methods of Pike (*Esox lucius* L.)
Removal from a Lowland Trout Fishery:
K. A. M. Fisher & N. M. Broughton 101

- Further Aids to the Reconstruction of Digested Prey Lengths:
N. J. Fickling & R. L. G. Lee 107

Short Communications

- The Application of Liquid Derris (5% rotenone) to a Spring Fed
Upland Pond to Eradicate Perch (*Perca fluviatilis* L.):
M. J. Amey 111

- Studies on Precocious Maturity in Artificially-Reared 1+
Atlantic Salmon Parr *Salmo salar* L.:
T. Murphy 113

- Book Reviews* 115

- Other publications received* 117

Number 4 October 1981

- A Computer Program for the Analysis of Catch Returns from
a Put-and-Take Trout Fishery
D. Cousins, T. F. Coles and A. P. Crust 119

- An Analysis of the Put-and-Take Trout Fishery at Toft
Newton Reservoir
T. F. Coles 129

- Man-induced Changes in the Freshwater Fish Fauna of Israel
A. Ben-Tuvia 139

- Institute Affairs* 149

- Book Reviews* 153

- Other publications received* 157

- Author Index* 159